

LYKA AD 2.1 LOKACIJSKI INDIKATOR I NAZIV AERODROMA **LYKA KRALJEVO/Brege**
AERODROME LOCATION INDICATOR AND NAME

LYKA AD 2.2 GEOGRAFSKI I ADMINISTRATIVNI PODACI O AERODROMU
AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Koordinate ARP i položaj na AD ARP coordinates and site at AD	434355N 0204305E 105.31° GEO / 551 M od/form THR 10
2	Smer i udaljenost ARP od centra grada Direction and distance of ARP from centre of the city	70° GEO 2,6 KM od centra Kraljeva 70° GEO 2.6 KM from center of Kraljevo
3	ELEV / Referentna temperatura / Srednja minimalna temperatura ELEV / Reference temperature / Mean low temperature	660 FT (201 M) / 29,1°C (JUL) / Nema podataka 660 FT (201 M) / 29.1°C (JUL) / Data not AVBL
4	Undulacija geoida na AD ELEV PSN Geoid undulation at AD ELEV PSN	147 FT (45 M)
5	MAG VAR (datum informacije) / Godišnja promena MAG VAR (date of information) / Annual change	5°E (2025) / + 4.6'
6	Operater AD, adresa AD Operator, address TEL: TEL/FAX: e-mail:	Aeroklub „Mihajlo Petrović” Sportski aerodrom bb 36000 Kraljevo Srbija / Serbia +381 62 252 429; +381 62 756 144 +381 36 311 832 djuropilot@gmail.com
7	Odobrene vrste saobraćaja na AD Types of traffic permitted to use AD	Domaći VFR Domestic VFR
8	Napomene Remarks	AD dozvoljen za korišćenje samo danju u uslovima za VFR letenje. Namena AD: sportsko i amatersko letenje. Referentni kod AD: 1B AD approved for daylight operations only in conditions suitable for VFR flying. Purpose of AD: sport and leisure flying. AD reference code: 1B

LYKA AD 2.3 RADNO VREME
OPERATIONAL HOURS

1	Operater AD AD Operator	DLY SR – SS
12	Napomene Remarks	Strani ACFT moraju da najave dolazak MNM 6 časova unapred. Foreign ACFT must notify arrival MNM 6 hours in advance.

**LYKA AD 2.4 SLUŽBE I SREDSTVA ZA OPSLUŽIVANJE
HANDLING SERVICES AND FACILITIES**

2	<i>Vrste goriva i maziva</i> <i>Fuel and oil types</i>	100LL / W100 Samo za sopstvene potrebe For own purposes only
3	<i>Oprema i kapacitet za snabdevanje gorivom</i> <i>Fuelling facilities and capacity</i>	Nema podataka Data not AVBL
5	<i>Hangarski prostor za vazduhoplove u prolazu</i> <i>Hangar space for visiting aircraft</i>	Hangar 35 x 20 M
6	<i>Oprema za popravku vazduhoplova u prolazu</i> <i>Repair facilities for visiting aircraft</i>	NIL

**LYKA AD 2.5 POGODNOSTI ZA PUTNIKE
PASSENGER FACILITIES**

1	<i>Hotel(i) na AD ili u njegovoj blizini</i> <i>Hotel(s) at or in the vicinity of AD</i>	Na aerodromu (8 dvokrevetnih soba) i u Kraljevu At the aerodrome (8 two-bed rooms) and in Kraljevo
2	<i>Restoran(i) na AD ili u njegovoj blizini</i> <i>Restaurant(s) at or in the vicinity of AD</i>	Na aerodromu At the aerodrome
3	<i>Mogućnost prevoza</i> <i>Transportation possibilities</i>	Autobus Bus
4	<i>Medicinske usluge</i> <i>Medical facilities</i>	Ambulanta na aerodromu, bolnica (2 KM) Ambulance at aerodrome, hospital (2 KM)
5	<i>Banka i pošta na AD ili u njegovoj blizini</i> <i>Bank and Post Office at or in the vicinity of AD</i>	U gradu (2 KM) In the city (2 KM)
6	<i>Turističke agencije</i> <i>Tourist Office</i>	U gradu (2 KM) In the city (2 KM)

**LYKA AD 2.6 SPASILAČKO-VATROGASNA SLUŽBA
RESCUE AND FIREFIGHTING SERVICES**

1	<i>Vatrogasna kategorija aerodroma</i> <i>AD category for firefighting</i>	Kategorija 2 Category 2
---	---	----------------------------

**LYKA AD 2.8 PLATFORME, RULNE STAZE I MESTA PROVERE POLOŽAJA
APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA**

1	<i>Oznaka, površina i nosivost platformi</i> <i>Designation, surface and strength of aprons</i>	A	ASPH	5700 KG
2	<i>Oznaka, širina, površina i nosivost rulnih staza</i> <i>Designation, width, surface and strength of taxiways</i>	A 22 M B 46 M	trava / grass trava / grass	5700 KG 5700 KG
3	<i>Lokacija i ELEV tačke provere visinomera</i> <i>Location and ELEV of altimeter checkpoints</i>	Nema podataka Data not AVBL		
6	<i>Napomene</i> <i>Remarks</i>	NIL		

**LYKA AD 2.9 SISTEM ZA VOĐENJE I KONTROLU KRETANJA I DNEVNE OZNAKE
SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS**

2	<i>Oznake i svetla RWY i TWY</i> <i>RWY and TWY markings and LGT</i>	<i>Dnevne oznake</i> RWY: brojne oznake, ivice, izmešteni pragovi TWY: NIL Svetla: NIL <i>Marking aids</i> RWY: designators, edges, displaced THR TWY: NIL Lights: NIL
---	---	---

**LYKA AD 2.10 AERODROMSKE PREPREKE
AERODROME OBSTACLES**

Oblast 2 / Area 2					
<i>ID prepreke</i>	<i>Tip prepreke</i>	<i>Pozicija prepreke (COORD)</i>	<i>ELEV prepreke / HGT (FT)</i>	<i>Oznaka prepreke / LGT vrsta / boja</i>	<i>Dostupnost u elektronskoj formi</i>
<i>OBST ID</i>	<i>OBST Type</i>	<i>OBST position (COORD)</i>	<i>ELEV OBST / HGT (FT)</i>	<i>OBST marking / LGT type / colour</i>	<i>AVBL in electronic form</i>
1	2	3	4	5	6
LYKA_OB2B_0001*	Dalekovod Power line	434401.9N 0204227.7E	718 / 52	Nema podataka / Data not AVBL	NIL
LYKA_OB2B_0002**	Dalekovod Power line	434345.9N 0204348.2E	728 / 85	Nema podataka / Data not AVBL	NIL

* 305 M od END RWY 28 u produženoj RCL / 305 M from RWY 28 END in extended RCL

** 461 M od END RWY 10 u produženoj RCL / 461 M from RWY 10 END in extended RCL

LYKA AD 2.12 FIZIČKE KARAKTERISTIKE POLETNO-SLETNE STAZE
RUNWAY PHYSICAL CHARACTERISTICS

<i>Oznake RWY</i>	<i>GEO BRG</i>	<i>Dimenzije RWY (M)</i>	<i>Nosivost (PCN) i Površina RWY i SWY</i>	<i>COORD praga COORD kraja RWY</i>	<i>THR ELEV</i>
<i>Designations RWY</i>	<i>True BRG</i>	<i>Dimension of RWY (M)</i>	<i>Strength (PCN) and Surface of RWY and SWY</i>	<i>THR COORD RWY end COORD</i>	<i>THR ELEV</i>
1	2	3	4	5	6
10	105.32°	1102 x 52	5700 KG trava / grass	434355.49N 0204259.80E 434349.83N 0204328.33E	652 FT (199 M)
28	285.32°	1102 x 52	5700 KG trava / grass	434352.40N 0204315.41E 434359.26N 0204240.84E	651 FT (199 M)

<i>Oznake RWY</i>	<i>Nagib RWY-SWY</i>	<i>Dimenzije SWY (M)</i>	<i>Dimenzije CWY (M)</i>	<i>Dimenzije osnovne staze (M)</i>	<i>Dimenzije RESA (M)</i>
<i>Designations RWY</i>	<i>Slope of RWY-SWY</i>	<i>SWY dimensions (M)</i>	<i>CWY dimensions (M)</i>	<i>Strip dimensions (M)</i>	<i>RESA dimensions (M)</i>
1	7	8	9	10	11
10	-0.6% (400 M), +0.4% (250 M), -0.8% (150 M), +0.1% (302 M)	NIL	NIL	1300 x 100	Nema podataka / Data not AVBL
28	-0.1% (302 M), +0.8% (150 M), -0.4% (250 M), +0.6% (400 M)	NIL	NIL	1300 x 100	Nema podataka / Data not AVBL

<i>Oznake RWY</i>	<i>Lokacija i opis sistema za zaustavljanje</i>	<i>Napomene</i>	
<i>Designations RWY</i>	<i>Location and description of OFZ arresting system</i>	<i>Remarks</i>	
1	12	13	14
10	Nema podataka Data not AVBL	Nema podataka Data not AVBL	NIL
28	Nema podataka Data not AVBL	Nema podataka Data not AVBL	NIL

LYKA AD 2.13 DEKLARISANE DUŽINE
DECLARED DISTANCES

<i>Oznaka RWY RWY designator</i>	<i>TORA (M)</i>	<i>TODA (M)</i>	<i>ASDA (M)</i>	<i>LDA (M)</i>	<i>Napomene Remarks</i>
1	2	3	4	5	6
10	1102	1102	1102	662	NIL
28	1102	1102	1102	802	

**LYKA AD 2.14 PRILAZNA SVETLA I SVETLA POLETNO-SLETNE STAZE
APPROACH AND RUNWAY LIGHTING**

NIL

**LYKA AD 2.15 OSTALE SVETLOSNE OZNAKE, REZERVNO NAPAJANJE
OTHER LIGHTING, SECONDARY POWER SUPPLY**

1	<i>Lokacija, karakteristike i radno vreme ABN / IBN</i> <i>ABN / IBN location, characteristics and hours of operation</i>	NIL
3	<i>Svetla ivice i ose TWY</i> <i>TWY edge and centre line lights</i>	NIL
5	<i>Napomene</i> <i>Remarks</i>	WDI: 40 M severno od ivice RWY kod izmeštenog THR 28 (videti AD kartu). 40 M North of displaced THR 28 RWY edge (see AD chart).

**LYKA AD 2.16 POVRŠINA ZA SLETANJE HELIKOPTERA
HELICOPTER LANDING AREA**

NIL

**LYKA AD 2.17 VAZDUŠNI PROSTOR U KOME SE PRUŽAJU ATS USLUGE
ATS AIRSPACE**

1	<i>Oznaka i COORD horizontalnih granica</i> <i>Designation and COORD of lateral limits</i>	ATZ/RMZ BREGE 434158N 0203608E (selo/village Konarevo) – 434511N 0204023E (1 KM E od/from Adrani) – 434858N 0204028E (2 KM E od/from Cvetke) – u smeru kazaljke na satu po luku kruga poluprečnika 10 KM sa centrom u 434354.54N 0204304.59E (ARP) / in clockwise direction on the arc of a circle with a radius of 10 KM centered at 434354.54N 0204304.59E (ARP) – 434158N 0203608E (selo/village Konarevo)
2	<i>Vertikalne granice</i> <i>Vertical limits</i>	3000 FT (900 M) AMSL / GND
3	<i>Klasifikacija vazdušnog prostora</i> <i>Airspace classification</i>	Klasa G, kada je ATZ/RMZ aktivna Class G, when ATZ/RMZ is active
4	<i>Pozivni znak ATS jedinice</i> <i>Jezik(ci)</i> <i>ATS unit call sign</i> <i>Language(s)</i>	Brege RADIO Srpski, engleski Brege RADIO Serbian, English
5	<i>Prelazna apsolutna visina</i> <i>Transition altitude</i>	10000 FT (3050 M) AMSL
7	<i>Napomene</i> <i>Remarks</i>	NIL

LYKA AD 2.18 SREDSTVA ZA KOMUNIKACIJU U PRUŽANJU ATS USLUGA
ATS COMMUNICATION FACILITIES

Oznaka službe	Pozivni znak	FREQ (MHZ) / Kanal(i)	SATVOICE broj	Pristupna adresa	Radno vreme	Napomene
Service designation	Call sign	FREQ (MHZ) / CH	SATVOICE number	Logon address	Hours of operation	Remarks
1	2	3	4	5	6	7
RADIO	Brege RADIO	123.500	NIL	NIL	Isto kao AD Same as AD	NIL

LYKA AD 2.19 RADIO-NAVIGACIONI UREĐAJI I UREĐAJI ZA SLETANJE
RADIO NAVIGATION AND LANDING AIDS

Videti kartu AD 2 LYKA 2.4–1. Pripadajuće podatke za radio-navigacione uređaje videti u ENR 4.1.
See AD 2 LYKA 2.4–1 chart. For related data see ENR 4.1.

LYKA AD 2.23 DODATNE INFORMACIJE

LYKA AD 2.23 ADDITIONAL INFORMATION

1. Upozorenja

1. Warnings

- 1.1 Dok su operacije poletanja ili sletanja vazduhoplova na RWY u toku, svim ostalim ACFT je zabranjeno rulanje po TWY A i TWY B.
- 1.2 Za letenje je neophodna koordinacija sa šefom smene nadležne jedinice kontrole letenja (videti ENR 1.10).
- 1.3 Videti NOTAM-e za poslednje informacije.

- 1.1 During take-off and landing operations on RWY, it is forbidden to all other ACFT to taxi on TWY A and TWY B.
- 1.2 For flying, coordination with Duty manager of competent ATS unit is necessary (see ENR 1.10).
- 1.3 Consult NOTAM for latest information.

LYKA AD 2.24 VAZDUHOPLOVNE KARTE KOJE SE ODNOSE NA AERODROM
AERONAUTICAL CHARTS RELATED TO AN AERODROME

- Aerodrome Chart AD 2 LYKA 2.1–1
- Visual Operation Chart AD 2 LYKA 2.4–1