

**LYKS AD 2.1 LOKACIJSKI INDIKATOR I NAZIV AERODROMA  
AERODROME LOCATION INDICATOR AND NAME**

**LYKS KRUŠEVAC/  
Rosulje**

**LYKS AD 2.2 GEOGRAFSKI I ADMINISTRATIVNI PODACI O AERODROMU  
AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	<i>Koordinate ARP i položaj na AD ARP coordinates and site at AD</i>	433340N 0212258E 148° GEO / 410 M od/from THR 14
2	<i>Smer i udaljenost ARP od centra grada Direction and distance of ARP from centre of the city</i>	118° GEO, 5,1 KM od centra Kruševca 118° GEO, 5.1 KM from center of Kruševac
3	<i>ELEV / Referentna temperatura / Srednja minimalna temperatura ELEV / Reference temperature / Mean low temperature</i>	767 FT (234 M) / 29,9°C (JUL) / Nema podataka 767 FT (234 M) / 29.9°C (JUL) / Data not AVBL
4	<i>Undulacija geoida na AD ELEV PSN Geoid undulation at AD ELEV PSN</i>	147 FT (45 M)
5	<i>MAG VAR (datum informacije) / Godišnja promena MAG VAR (date of information) / Annual change</i>	5°E (2025) / + 4.5'
6	<i>Operater AD, adresa AD Operator, address</i>  <i>Adresa AD / AD address:</i>	Aerodromi Srbije d.o.o. Niš Vazduhoplovaca 24 18000 Niš Srbija / Serbia  Aerodrom Rosulje Svetozara Markovića 21, Parunovac 37000 Kruševac Srbija / Serbia  Služba aerodroma Rosulje / Rosulje Airport service: <i>TEL:</i> +381 37 444 713 <i>e-mail:</i> operations.rosulje@aerodromisrbije.rs
7	<i>Odobrene vrste saobraćaja na AD Types of traffic permitted to use AD</i>	Domaći VFR Domestic VFR
8	<i>Napomene Remarks</i>	AD dozvoljen za korišćenje samo danju u uslovima za VFR letenje. AD otvoren za javnu upotrebu. Referentni kod AD: 2B AD approved for daylight operations only in conditions suitable for VFR flying. AD open for public use. AD reference code: 2B

**LYKS AD 2.3 RADNO VREME  
OPERATIONAL HOURS**

1	<i>Operater AD</i> <i>AD Operator</i>	AD otvoren samo O/R – uz prethodno odobrenje operatera AD AD open only O/R – upon AD Operator approval
12	<i>Napomene</i> <i>Remarks</i>	NIL

**LYKS AD 2.6 SPASILAČKO-VATROGASNA SLUŽBA  
RESCUE AND FIREFIGHTING SERVICES**

1	<i>Vatrogasna kategorija aerodroma</i> <i>AD category for firefighting</i>	Kategorija 2 Category 2
2	<i>Oprema za spasavanje</i> <i>Rescue equipment</i>	Postoji u skladu sa kategorijom 2 AVBL in accordance with Category 2
3	<i>Mogućnost uklanjanja oštećenog ili neispravnog vazduhoplova</i> <i>Capability for removal of disabled aircraft</i>	Postoji AVBL
4	<i>Napomene</i> <i>Remarks</i>	NIL

**LYKS AD 2.8 PLATFORME, RULNE STAZE I LOKACIJE/POZICIJE PROVERE POLOŽAJA  
APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA**

1	<i>Oznaka, površina i nosivost platformi</i> <i>Designation, surface and strength of aprons</i>	A	ASPH	PCN 21/F/C/X/T	
2	<i>Oznaka, širina, površina i nosivost rulnih staza</i> <i>Designation, width, surface and strength of taxiways</i>	A	15 M	ASPH	PCN 21/F/C/X/T
3	<i>Lokacija i ELEV tačke provere visinomera</i> <i>Location and ELEV of altimeter checkpoints</i>	Platforma A / Apron A ELEV: 750 FT (229 M)			

**LYKS AD 2.9 SISTEM ZA VOĐENJE I KONTROLU KRETANJA I DNEVNE OZNAKE  
SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS**

1	<p><i>Upotreba znakova identifikacije parking pozicija, linije vodilje na rulnim stazama i sistem za vizuelno vođenje prilikom uparkiranja</i></p> <p><i>Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands</i></p>	<p>Parker Linije vodilje na rulnoj stazi</p> <p>Marshaller Guide lines at taxiway</p>
2	<p><i>Oznake i svetla RWY i TWY</i></p> <p><i>RWY and TWY markings and LGT</i></p>	<p>Dnevne oznake RWY: brojne oznake, pragovi, osa, ivice, zone dodira, okretnice TWY A: retroreflektivne oznake ivica, pozicija za čekanje za izlazak RWY</p> <p>Marking aids RWY: designations, thresholds, centre line, edges, touchdown zones, turn pads TWY A: retroreflective edge markers, RWY holding position</p>
3	<p><i>Prečke za zaustavljanje</i> <i>Stop bars</i></p>	NIL
4	<p><i>Napomene</i> <i>Remarks</i></p>	NIL

**LYKS AD 2.10 AERODROMSKE PREPREKE  
AERODROME OBSTACLES**

<b>Oblast 2 / Area 2</b>					
<i>ID prepreke</i>	<i>Tip prepreke</i>	<i>Pozicija prepreke (COORD)</i>	<i>ELEV prepreke / HGT (FT)</i>	<i>Oznaka prepreke / LGT vrsta / boja</i>	<i>Dostupnost u elektronskoj formi</i>
<i>OBST ID</i>	<i>Type of OBST</i>	<i>OBST position (COORD)</i>	<i>ELEV OBST / HGT (FT)</i>	<i>OBST marking / LGT type / colour</i>	<i>AVBL in electronic form</i>
1	2	3	4	5	6
LYKS_OBST_0001*	Objekat Building	433338.2N 0212349.8E	941 / 26	Nema podataka Data not AVBL	NIL

\* Tehnički izveštaj o merenju ne postoji / Survey report not AVBL

**LYKS AD 2.12 FIZIČKE KARAKTERISTIKE POLETNO-SLETNE STAZE**  
**RUNWAY PHYSICAL CHARACTERISTICS**

<i>Oznake RWY</i>	<i>GEO BRG</i>	<i>Dimenzije RWY (M)</i>	<i>Nosivost (PCN) i Površina RWY i SWY</i>	<i>COORD praga COORD kraja RWY GUND praga THR COORD RWY end COORD THR GUND</i>	<i>THR ELEV</i>
<i>Designations RWY</i>	<i>True BRG</i>	<i>Dimensions of RWY (M)</i>	<i>Strength (PCN) and Surface of RWY and SWY</i>	<i>THR COORD RWY end COORD THR GUND</i>	<i>THR ELEV</i>
1	2	3	4	5	6
14	148.10°	820 x 23	PCN 21/F/C/X/T ASPH	433350.93N 0212248.73E 433328.37N 0212308.03E 147 FT (45 M)	753 FT (230 M)
32	328.11°	820 x 23	PCN 21/F/C/X/T ASPH	433328.37N 0212308.03E 433350.93N 0212248.73E 147 FT (45 M)	762 FT (232 M)

  

<i>Oznake RWY</i>	<i>Nagib RWY-SWY</i>	<i>Dimenzije SWY (M)</i>	<i>Dimenzije CWY (M)</i>	<i>Dimenzije osnovne staze (M)</i>	<i>Dimenzije RESA (M)</i>
<i>Designations RWY</i>	<i>Slope of RWY-SWY</i>	<i>SWY dimensions (M)</i>	<i>CWY dimensions (M)</i>	<i>Strip dimensions (M)</i>	<i>RESA dimensions (M)</i>
1	7	8	9	10	11
14	+0.9% (300 M), +0.4% (350 M), -0.3% (50 M), -0.8% (120 M)	NIL	NIL	940 x 80	90 x 60
32	+0.8% (120 M), +0.3% (50 M), -0.4% (350 M), -0.9% (300 M)	NIL	NIL	940 x 80	90 x 60

  

<i>Oznake RWY</i>	<i>Lokacija i opis sistema za zaustavljanje</i>	<i>Napomene</i>	
<i>Designations RWY</i>	<i>Location and description of arresting system</i>	<i>Remarks</i>	
1	12	13	
14	Nema podataka Data not AVBL	Neprimenljivo Not applicable	NIL
32	Nema podataka Data not AVBL	Neprimenljivo Not applicable	NIL

**LYKS AD 2.13 DEKLARISANE DUŽINE  
DECLARED DISTANCES**

<i>Oznaka RWY</i> <i>RWY designator</i>	<i>TORA (M)</i>	<i>TODA (M)</i>	<i>ASDA (M)</i>	<i>LDA (M)</i>	<i>Napomene</i> <i>Remarks</i>
1	2	3	4	5	6
14	820	820	820	820	NIL
32	820	820	820	820	NIL

**LYKS AD 2.15 OSTALE SVETLOSNE OZNAKE, REZERVNO NAPAJANJE  
OTHER LIGHTING, SECONDARY POWER SUPPLY**

1	<i>Lokacija, karakteristike i radno vreme</i> <i>ABN / IBN</i> <i>ABN / IBN location, characteristics</i> <i>and hours of operation</i>	NIL
2	<i>Lokacija i LGT LDI</i> <i>Lokacija i LGT anemometra</i> <i>LDI location and LGT</i> <i>Anemometer location and LGT</i>	NIL
3	<i>Svetla ivice i ose TWY</i> <i>TWY edge and centre line lights</i>	NIL
4	<i>Rezervno napajanje / vreme</i> <i>prebacivanja</i> <i>Secondary power supply / switchover</i> <i>time</i>	NIL
5	<i>Napomene</i> <i>Remarks</i>	WDI: Videti AD kartu WDI: See AD chart

**LYKS AD 2.24 VAZDUHOPLOVNE KARTE KOJE SE ODNOSE NA AERODROM  
AERONAUTICAL CHARTS RELATED TO AN AERODROME**

Aerodrome Chart ..... AD 2 LYKS 2.1-1