

**LYVA AD 2.1 LOKACIJSKI INDIKATOR I NAZIV AERODROMA
AERODROME LOCATION INDICATOR AND NAME**

LYVA DIVCI/Divci

**LYVA AD 2.2 GEOGRAFSKI I ADMINISTRATIVNI PODACI O AERODROMU
AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	<i>Koordinate ARP i položaj na AD ARP coordinates and site at AD</i>	441753N 0200118E 083.53° GEO / 577.5 M od/from THR 08
2	<i>Smer i udaljenost ARP od centra grada Direction and distance of ARP from centre of the city</i>	071° GEO, 9,4 KM od željezničke stanice u Valjevu 071° GEO, 9.4 KM from railway station in Valjevo
3	<i>ELEV / Referentna temperatura / Srednja minimalna temperatura ELEV / Reference temperature / Mean low temperature</i>	489 FT (149 M) / 28,7°C (JUL) / Nema podataka 489 FT (149 M) / 28.7°C (JUL) / Data not AVBL
4	<i>Undulacija geoida na AD ELEV PSN Geoid undulation at AD ELEV PSN</i>	146 FT (44 M)
5	<i>MAG VAR (datum informacije) / Godišnja promena MAG VAR (date of information) / Annual change</i>	5°E (2025) / + 4.8'
6	<i>Operator AD, adresa AD Operator, address</i>	Aeroklub „Valjevo“ Sportski aerodrom Divci bb 14222 Divci Srbija / Serbia TEL: +381 66 221 176 e-mail: aeroklubvaljevo@gmail.com Internet stranica/Website: www.aeroklubvaljevo.com
7	<i>Odobrene vrste saobraćaja na AD Types of traffic permitted to use AD</i>	Domaći VFR Domestic VFR
8	<i>Napomene Remarks</i>	AD dozvoljen za korišćenje samo danju i uz prethodno odobrenje operatera. Namena AD: sportsko i amatersko letenje, sezonsko letenje aviona privredne avijacije. Referentni kod AD: 2B AD approved for daylight operations only and with the prior operator approval. Purpose of AD: sport and leisure flying, seasonal aerial works. AD reference code: 2B

**LYVA AD 2.3 RADNO VREME
OPERATIONAL HOURS**

1	<i>Operator AD AD Operator</i>	Zimi: DLY 0800–SS; Leti: DLY 0500–SS Winter: DLY 0800–SS; Summer: DLY 0500–SS
12	<i>Napomene Remarks</i>	Za dolazak vazduhoplova u prolazu, PN 24 HR unapred na TEL: +381 66 221 176 ili e-mail: aeroklubvaljevo@gmail.com. For arrival of visiting aircraft, PN 24 HR in advance by TEL: +381 66 221 176 or e-mail: aeroklubvaljevo@gmail.com.

**LYVA AD 2.4 SLUŽBE I SREDSTVA ZA OPSLUŽIVANJE
HANDLING SERVICES AND FACILITIES**

2	<i>Vrste goriva i maziva</i> <i>Fuel and oil types</i>	100 LL / W 100 Samo za sopstvene potrebe For own purposes only
3	<i>Oprema i kapacitet za snabdevanje gorivom</i> <i>Fuelling facilities and capacity</i>	2 rezervoara / 2 reservoirs / 25000 litara 25000 litres Protok 40 litara/min Delivery rate 40 litres/min
5	<i>Hangarski prostor za vazduhoplove u prolazu</i> <i>Hangar space for visiting aircraft</i>	Hangar 35 × 14.5 M Ne zagreva se / Not heated O/R – PN 24 HR
6	<i>Oprema za popravku vazduhoplova u prolazu</i> <i>Repair facilities for visiting aircraft</i>	NIL
7	<i>Napomene</i> <i>Remarks</i>	NIL

**LYVA AD 2.5 POGODNOSTI ZA PUTNIKE
PASSENGER FACILITIES**

1	<i>Hotel(i) na AD ili u njegovoj blizini</i> <i>Hotel(s) at or in the vicinity of AD</i>	Na AD nužni smeštaj za 20 osoba U Valjevu (10 KM) At AD necessary accommodation up to 20 people In Valjevo (10 KM)
2	<i>Restoran(i) na AD ili u njegovoj blizini</i> <i>Restaurant(s) at or in the vicinity of AD</i>	Pored aerodroma (300 M od AD zgrade) U Valjevu (10 KM) Near aerodrome (300 M from AD Office) In Valjevo (10 KM)
3	<i>Mogućnost prevoza</i> <i>Transportation possibilities</i>	Gradski autobus, taksi, voz 500 M od aerodroma City bus, taxi, train 500 M from aerodrome
4	<i>Medicinske usluge</i> <i>Medical facilities</i>	Ambulanta na aerodromu, Dom zdravlja u Valjevu (10 KM) Ambulance at aerodrome, Health center in Valjevo (10 KM)
5	<i>Banka i pošta na AD ili u njegovoj blizini</i> <i>Bank and Post Office at or in the vicinity of AD</i>	Pošta u Divcima (500 M) i u Valjevu (10 KM) Banka u Valjevu (10 KM) Post Office in Divci (500 M) and in Valjevo (10 KM) Bank Office in Valjevo (10 KM)
6	<i>Turističke agencije</i> <i>Tourist Office</i>	U Valjevu (10 KM) In Valjevo (10 KM)

**LYVA AD 2.6 SPASILAČKO-VATROGASNA SLUŽBA
RESCUE AND FIREFIGHTING SERVICES**

1	<i>Vatrogasna kategorija aerodroma</i> <i>AD category for firefighting</i>	Kategorija 2 Category 2
---	---	----------------------------

**LYVA AD 2.8 PLATFORME, RULNE STAZE I LOKACIJE/POZICIJE PROVERE POLOŽAJA
APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA**

1	<i>Oznaka, površina i nosivost platformi</i> <i>Designation, surface and strength of aprons</i>	A	CONC	5700 KG
		B	trava / grass	5700 KG
		C	trava / grass	5700 KG
2	<i>Oznaka, širina, površina i nosivost rulnih staza</i> <i>Designation, width, surface and strength of taxiways</i>	A	20 M	trava / grass 5700 KG
		B*	27 M	trava / grass 5700 KG
		* Istočni deo TWY B se u širini od 10 M povremeno koristi kao platforma – videti AD kartu. / Eastern part of TWY B is occasionally used as apron in width of 10 M – see AD chart.		
3	<i>Lokacija i ELEV tačke provere visinmera</i> <i>Location and ELEV of altimeter checkpoints</i>	Platforma A, ELEV 482 FT (147 M)		
		Apron A, ELEV 482 FT (147 M)		

**LYVA AD 2.9 SISTEM ZA VOĐENJE I KONTROLU KRETANJA I DNEVNE OZNAKE
SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS**

2	<i>Oznake i svetla RWY i TWY</i> <i>RWY and TWY markings and LGT</i>	<i>Dnevne oznake</i>
		RWY: Ivice TWY: NIL <i>Svetla: NIL</i> <i>Marking aids</i> RWY: Edges TWY: NIL <i>Lights: NIL</i>

**LYVA AD 2.10 AERODROMSKE PREPREKE
AERODROME OBSTACLES**

NIL

**LYVA AD 2.12 FIZIČKE KARAKTERISTIKE POLETNO-SLETNE STAZE
RUNWAY PHYSICAL CHARACTERISTICS**

<i>Oznake RWY</i>	<i>GEO BRG</i>	<i>Dimenzije RWY (M)</i>	<i>Nosivost (PCN) i Površina RWY i SWY</i>	<i>COORD praga COORD kraja RWY</i>	<i>THR ELEV</i>
<i>Designations RWY</i>	<i>True BRG</i>	<i>Dimensions of RWY (M)</i>	<i>Strength (PCN) and Surface of RWY and SWY</i>	<i>THR COORD RWY end COORD</i>	<i>THR ELEV</i>
1	2	3	4	5	6
08	083.53°	1155 x 51	5700 KG trava / grass	441750.59N 0200051.72E 441754.80N 0200143.50E	489 FT (149 M)
26	263.54°	1155 x 51	5700 KG trava / grass	441754.80N 0200143.50E 441750.59N 0200051.72E	477 FT (146 M)

<i>Oznake RWY</i>	<i>Nagib RWY-SWY</i>	<i>Dimenzije SWY (M)</i>	<i>Dimenzije CWY (M)</i>	<i>Dimenzije osnovne staze (M)</i>	<i>Dimenzije RESA (M)</i>
<i>Designations RWY</i>	<i>Slope of RWY-SWY</i>	<i>SWY dimensions (M)</i>	<i>CWY dimensions (M)</i>	<i>Strip dimensions (M)</i>	<i>RESA dimensions (M)</i>
1	7	8	9	10	11
08	–0.5% (150 M), 0% (200 M), –0.4% (805 M)	NIL	NIL	1250 x 120	Nema podataka Data not AVBL
26	+0.4% (805 M), 0% (200 M), +0.5% (150 M)	NIL	NIL	1250 x 120	Nema podataka Data not AVBL

<i>Oznake RWY</i>	<i>Lokacija i opis sistema za zaustavljanje</i>		<i>Napomene</i>
<i>Designations RWY</i>	<i>Location and description of arresting system</i>	<i>OFZ</i>	<i>Remarks</i>
1	12	13	14
08	Nema podataka Data not AVBL	Nema podataka Data not AVBL	NIL
26	Nema podataka Data not AVBL	Nema podataka Data not AVBL	NIL

LYVA AD 2.13 DEKLARISANE DUŽINE DECLARED DISTANCES

<i>Oznaka RWY RWY designator</i>	<i>TORA (M)</i>	<i>TODA (M)</i>	<i>ASDA (M)</i>	<i>LDA (M)</i>	<i>Napomene Remarks</i>
1	2	3	4	5	6
08	1155	1155	1155	1155	NIL
26	1155	1155	1155	1155	NIL

LYVA AD 2.14 PRILAZNA SVETLA I SVETLA POLETNO-SLETNE STAZE APPROACH AND RUNWAY LIGHTING

NIL

**LYVA AD 2.15 OSTALE SVETLOSNE OZNAKE, REZERVNO NAPAJANJE
OTHER LIGHTING, SECONDARY POWER SUPPLY**

1	<i>Lokacija, karakteristike i radno vreme ABN / IBN</i> <i>ABN / IBN location, characteristics and hours of operation</i>	NIL
2	<i>Lokacija i LGT LDI</i> <i>Lokacija i LGT anemometra</i> <i>LDI location and LGT</i> <i>Anemometer location and LGT</i>	LDI: Slovo T bele boje; 300 M od praga na levoj ivici RWY, neosvetljeno Anemometar: Na krovu Aerodromske zgrade, kao i ručni LDI: Landing T, white; 300 M from threshold on the left edge of RWY, not lighted Anemometer: On the roof of AD Office, and handheld also
3	<i>Svetla ivice i ose TWY</i> <i>TWY edge and centre line lights</i>	NIL
4	<i>Rezervno napajanje / vreme prebacivanja</i> <i>Secondary power supply / switchover time</i>	NIL
5	<i>Napomene</i> <i>Remarks</i>	WDI: Pored RWY (videti AD kartu) WDI: Near RWY (see AD chart)

**LYVA AD 2.16 POVRŠINA ZA SLETANJE HELIKOPTERA
HELICOPTER LANDING AREA**

TLOF ili FATO ne postoji. Za sletanje i poletanje helikoptera koristi se RWY.
TLOF or FATO not AVBL. RWY is used for landing and take-off of helicopters.

**LYVA AD 2.17 VAZDUŠNI PROSTOR U KOME SE PRUŽAJU ATS USLUGE
ATS AIRSPACE**

1	<i>Oznaka i COORD horizontalnih granica</i> <i>Designation and COORD of lateral limits</i>	ATZ/RMZ DIVCI 442054N 0195413E (Brankovina) – 442208N 0200927E (Lajkovac) – 441324N 0201004E (Gornja Toplica) – 441228N 0195421E (Dračić) – 442054N 0195413E (Brankovina)
2	<i>Vertikalne granice</i> <i>Vertical limits</i>	3000 FT (900 M) AMSL / GND
3	<i>Klasifikacija vazdušnog prostora</i> <i>Airspace classification</i>	Klasa G, kada je ATZ/RMZ aktivna Class G, when ATZ/RMZ is active
4	<i>Pozivni znak ATS jedinice</i> <i>Jezi(c)i</i> <i>ATS unit call sign</i> <i>Language(s)</i>	Divci RADIO Srpski, engleski Divci RADIO Serbian, English
5	<i>Prelazna apsolutna visina</i> <i>Transition altitude</i>	10000 FT (3050 M) AMSL
7	<i>Napomene</i> <i>Remarks</i>	NIL

**LYVA AD 2.18 SREDSTVA ZA KOMUNIKACIJU U PRUŽANJU ATS USLUGA
ATS COMMUNICATION FACILITIES**

<i>Oznaka službe</i>	<i>Pozivni znak</i>	<i>FREQ (MHZ) / Kanal(i)</i>	<i>SATVOICE broj</i>	<i>Pristupna adresa</i>	<i>Radno vreme</i>	<i>Napomene</i>
<i>Service designation</i>	<i>Call sign</i>	<i>FREQ (MHZ) / CH</i>	<i>SATVOICE number</i>	<i>Logon address</i>	<i>Hours of operation</i>	<i>Remarks</i>
1	2	3	4	5	6	7
RADIO	Divci RADIO	123.500	NIL	NIL	Isto kao AD Same as AD	NIL

**LYVA AD 2.19 RADIO-NAVIGACIONI UREĐAJI I UREĐAJI ZA SLETANJE
RADIO NAVIGATION AND LANDING AIDS**

Videti kartu AD 2 LYVA 2.4–1. Pripadajuće podatke za radio-navigacione uređaje videti u ENR 4.1.
See AD 2 LYVA 2.4–1 chart. For related data see ENR 4.1.

LYVA AD 2.23 DODATNE INFORMACIJE**1. MET**

Na aerodromu je na raspolaganju meteorološka stanica koja omogućava merenje brzine i pravca vetra.

2. Upozorenja

2.1 AD nije potpuno ograđen i moguća je iznenadna pojava ljudi ili stoke na RWY.

2.2 Za letenje je neophodna koordinacija sa šefom smene nadležne jedinice kontrole letenja (videti ENR 1.10).

2.3 Videti NOTAM-e za poslednje informacije.

LYVA AD 2.23 ADDITIONAL INFORMATION**1. MET**

Meteorological station which enables measurement of wind speed and direction is available at aerodrome.

2. Warnings

2.1 AD is not completely fenced in and sudden appearance of people or cattle is possible on RWY.

2.2 For flying, coordination with Duty manager of competent ATS unit is necessary (see ENR 1.10).

2.3 Consult NOTAM for latest information.

**LYVA AD 2.24 VAZDUHOPLOVNE KARTE KOJE SE ODOSE NA AERODROM
AERONAUTICAL CHARTS RELATED TO AN AERODROME**

Aerodrome Chart AD 2 LYVA 2.1–1

Visual Operation Chart AD 2 LYVA 2.4–1