

LYZR AD 2.1 LOKACIJSKI INDIKATOR I NAZIV AERODROMA
AERODROME LOCATION INDICATOR AND NAME

LYZR ZRENJANIN/
Ečka

LYZR AD 2.2 GEOGRAFSKI I ADMINISTRATIVNI PODACI O AERODROMU
AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	<i>Koordinate ARP i položaj na AD</i> <i>ARP coordinates and site at AD</i>	452023N 0202715E 155.15° GEO / 550 M od/from THR 15
2	<i>Smer i udaljenost ARP od centra grada</i> <i>Direction and distance of ARP from centre of the city</i>	132° GEO, 6,7 KM od katedrale u centru Zrenjanina 132° GEO, 6.7 KM from cathedral in the center of Zrenjanin
3	<i>ELEV / Referentna temperatura / Srednja minimalna temperatura</i> <i>ELEV / Reference temperature / Mean low temperature</i>	264 FT (80 M) / 29°C (JUL) / Nema podataka 264 FT (80 M) / 29°C (JUL) / Data not AVBL
4	<i>Undulacija geoida na AD ELEV PSN</i> <i>Geoid undulation at AD ELEV PSN</i>	142 FT (43 M)
5	<i>MAG VAR (datum informacije) / Godišnja promena</i> <i>MAG VAR (date of information) / Annual change</i>	6°E (2025) / + 5.0'
6	<i>Operater AD, adresa</i> <i>AD Operator, address</i> <i>TEL:</i> <i>FAX:</i> <i>e-mail:</i>	Aerodrom „Ečka“ d.o.o. Novosadska 1G 23203 Ečka Srbija / Serbia +381 23 388 1094 NIL office@ecka.aero
7	<i>Odobrene vrste saobraćaja na AD</i> <i>Types of traffic permitted to use AD</i>	Domaći VFR Domestic VFR
8	<i>Napomene</i> <i>Remarks</i>	AD dozvoljen za korišćenje danju. Namena AD: sportsko i amatersko letenje, sezonsko letenje aviona privredne avijacije Referentni kod AD: 2B AD approved for daylight operations. Purpose of AD: sport and leisure flying, seasonal aerial works AD reference code: 2B

LYZR AD 2.3 RADNO VREME
OPERATIONAL HOURS

1	<i>Operater AD</i> <i>AD Operator</i>	DLY SR–SS
12	<i>Napomene</i> <i>Remarks</i>	NIL

**LYZR AD 2.4 SLUŽBE I SREDSTVA ZA OPISLUŽIVANJE
HANDLING SERVICES AND FACILITIES**

2	<i>Vrste goriva i maziva</i> <i>Fuel and oil types</i>	100 LL, JET A–1 / Total D 100 O/R
3	<i>Oprema i kapacitet za snabdevanje gorivom</i> <i>Fuelling facilities and capacity</i>	100 LL 2 cisterne / 2 trucks / 50000 litara 50000 litres Protok 80 litara/min Delivery rate 80 litres/min JET A–1 1 cisterna / 1 truck / 50000 litara 50000 litres Protok 50 litara/min Delivery rate 50 litres/min
5	<i>Hangarski prostor za vazduhoplove u prolazu</i> <i>Hangar space for visiting aircraft</i>	Hangar 70 × 30 M O/R
6	<i>Oprema za popravku vazduhoplova u prolazu</i> <i>Repair facilities for visiting aircraft</i>	Manje popravke; glavne popravke O/R. Minor repairs; major repairs O/R.

**LYZR AD 2.5 POGODNOSTI ZA KORISNIKE
USER FACILITIES**

1	<i>Hotel(i) na AD ili u njegovoj blizini</i> <i>Hotel(s) at or in the vicinity of AD</i>	U Ečkoj (2 KM) i Zrenjaninu (9 KM). Na aerodromu je moguć smeštaj do 20 ljudi. Informacije na www.aeroecka.com . In Ečka (2 KM) and Zrenjanin (9 KM). At aerodrome there is a possibility to accommodate up to 20 people. Information on www.aeroecka.com .
2	<i>Restoran(i) na AD ili u njegovoj blizini</i> <i>Restaurant(s) at or in the vicinity of AD</i>	U Ečkoj (2 KM). Informacije na www.aeroecka.com . In Ečka (2 KM). Information on www.aeroecka.com .
3	<i>Mogućnost prevoza</i> <i>Transportation possibilities</i>	Autobus (1 KM), taksi Bus (1 KM), taxi
4	<i>Medicinske usluge</i> <i>Medical facilities</i>	Ambulanta u Ečkoj (2 KM), bolnica u Zrenjaninu (9 KM) Ambulance in Ečka (2 KM), hospital in Zrenjanin (9 KM)
5	<i>Banka i pošta na AD ili u njegovoj blizini</i> <i>Bank and Post Office at or in the vicinity of AD</i>	U Ečkoj (2 KM) i Zrenjaninu (9 KM) In Ečka (2 KM) and Zrenjanin (9 KM)
6	<i>Turistička agencija</i> <i>Tourist Office</i>	U Zrenjaninu (9 KM) In Zrenjanin (9 KM)
7	<i>Napomene</i> <i>Remarks</i>	NIL

**LYZR AD 2.6 SPASILAČKO-VATROGASNA SLUŽBA
RESCUE AND FIREFIGHTING SERVICES**

1	<i>Vatrogasna kategorija aerodroma</i> <i>AD category for firefighting</i>	Kategorija 2 Category 2
---	---	----------------------------

**LYZR AD 2.8 PLATFORME, RULNE STAZE I LOKACIJE/POZICIJE PROVERE POLOŽAJA
APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA**

1	<i>Oznaka, površina i nosivost platformi</i> <i>Designation, surface and strength of aprons</i>	A	CONC	5700 KG
		B	trava / grass	5700 KG
2	<i>Oznaka, širina, površina i nosivost rulnih staza</i> <i>Designation, width, surface and strength of taxiways</i>	A	20 M	trava / grass 5700 KG
		B	20 M	trava / grass 5700 KG
		C	15 M	trava / grass 5700 KG
3	<i>Lokacija i ELEV tačke provere visinomera</i> <i>Location and ELEV of altimeter checkpoints</i>	NIL		
6	<i>Napomene</i> <i>Remarks</i>	NIL		

**LYZR AD 2.9 SISTEM ZA VOĐENJE I KONTROLU KRETANJA I DNEVNE OZNAKE
SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS**

2	<i>Oznake i svetla RWY i TWY</i> <i>RWY and TWY markings and LGT</i>	<i>Dnevne oznake</i>	RWY	Pragovi, ivice
		<i>Marking aids</i>		Thresholds, edges
			TWY	NIL
	<i>Svetla</i> <i>Lights</i>		NIL	

**LYZR AD 2.10 AERODROMSKE PREPREKE
AERODROME OBSTACLES**

Nema podataka / Data not AVBL

**LYZR AD 2.12 FIZIČKE KARAKTERISTIKE POLETNO-SLETNE STAZE
RUNWAY PHYSICAL CHARACTERISTICS**

<i>Oznake RWY</i>	<i>GEO BRG</i>	<i>Dimenzije RWY (M)</i>	<i>Nosivost i površina RWY i SWY</i>	<i>COORD praga</i> <i>COORD kraja RWY</i>	
<i>Designations RWY NR</i>	<i>True BRG</i>	<i>Dimensions of RWY (M)</i>	<i>Strength and surface of RWY and SWY</i>	<i>THR COORD</i> <i>RWY end COORD</i>	<i>THR ELEV</i>
1	2	3	4	5	6
15	155.15°	1100 x 60	5700 KG trava / grass	452039.25N 0202704.16E 452006.91N 0202725.40E	262 FT (80 M)
33	335.15°	1100 x 60	5700 KG trava / grass	452006.91N 0202725.40E 452039.25N 0202704.16E	261 FT (79 M)

<i>Oznake RWY</i>	<i>Nagib RWY-SWY</i>	<i>Dimenzije SWY (M)</i>	<i>Dimenzije CWY (M)</i>	<i>Dimenzije osnovne staze (M)</i>	<i>Dimenzije RESA (M)</i>
<i>Designations RWY NR</i>	<i>Slope of RWY-SWY</i>	<i>SWY dimensions (M)</i>	<i>CWY dimensions (M)</i>	<i>Strip dimensions (M)</i>	<i>RESA dimensions (M)</i>
1	7	8	9	10	11
15	+0.2% (200 M), -0.1% (550 M), 0% (350 M)	NIL	NIL	1300 x 120	Nema podataka/ Data not AVBL
33	0% (350 M), +0.1% (550 M), -0.2% (200 M),	NIL	NIL	1300 x 120	Nema podataka/ Data not AVBL

<i>Oznake RWY</i>	<i>Lokacija i opis sistema za zaustavljanje</i>	<i>OFZ</i>	<i>Napomene</i>
<i>Designations RWY NR</i>	<i>Location and description of arresting system</i>	<i>OFZ</i>	<i>Remarks</i>
1	12	13	14
15	Nema podataka Data not AVBL	Nema podataka Data not AVBL	NIL
33	Nema podataka Data not AVBL	Nema podataka Data not AVBL	NIL

LYZR AD 2.13 DEKLARISANE DUŽINE DECLARED DISTANCES

<i>Oznaka RWY</i>					<i>Napomene</i>
<i>RWY designator</i>	<i>TORA (M)</i>	<i>TODA (M)</i>	<i>ASDA (M)</i>	<i>LDA (M)</i>	<i>Remarks</i>
1	2	3	4	5	6
15	1100	1100	1100	1100	NIL
33	1100	1100	1100	1100	NIL

**LYZR AD 2.15 OSTALE SVETLOSNE OZNAKE, REZERVNO NAPAJANJE
OTHER LIGHTING, SECONDARY POWER SUPPLY**

1	<i>Lokacija, karakteristike i radno vreme ABN / IBN</i> <i>ABN / IBN location, characteristics and hours of operation</i>	NIL
2	<i>Lokacija i LGT LDI</i> <i>Lokacija i LGT anemometra</i> <i>LDI location and LGT</i> <i>Anemometer location and LGT</i>	LDI: NIL Anemometar: digitalni, ručni LDI: NIL Anemometer: digital, handheld
3	<i>Svetla ivice i ose TWY</i> <i>TWY edge and centre line lights</i>	NIL
4	<i>Rezervno napajanje / vreme uključivanja</i> <i>Secondary power supply / switchover time</i>	NIL
5	<i>Napomene</i> <i>Remarks</i>	WDI: Pokazivač smera vetra kod TWY B i na aneksu hangara (videti AD kartu). Windssock near the TWY B and on the roof of the annex of hangar (see AD chart).

**LYZR AD 2.17 VAZDUŠNI PROSTOR U KOME SE PRUŽAJU ATS USLUGE
ATS AIRSPACE**

1	<i>Oznaka i COORD horizontalnih granica</i> <i>Designation and COORD of lateral limits</i>	ATZ/RMZ EČKA Krug poluprečnika 10 KM sa centrom u ARP A circle, radius 10 KM centered at ARP
2	<i>Vertikalne granice</i> <i>Vertical limits</i>	3000 FT (900 M) AMSL / GND
3	<i>Klasifikacija vazdušnog prostora</i> <i>Airspace classification</i>	Klasa G, kada je ATZ/RMZ aktivna Class G, when ATZ/RMZ is active
4	<i>Pozivni znak ATS jedinice</i> <i>Jezik(ci)</i> <i>ATS unit call sign</i> <i>Language(s)</i>	Ečka RADIO Srpski, engleski Ečka RADIO Serbian, English
5	<i>Prelazna apsolutna visina</i> <i>Transition altitude</i>	10000 FT (3050 M) AMSL
6	<i>Napomene</i> <i>Remarks</i>	NIL

**LYZR AD 2.18 SREDSTVA ZA KOMUNIKACIJU U PRUŽANJU ATS USLUGA
ATS COMMUNICATION FACILITIES**

<i>Oznaka službe</i>	<i>Pozivni znak</i>	<i>FREQ (MHZ) / Kanal(i)</i>	<i>SATVOICE broj</i>	<i>Pristupna adresa</i>	<i>Radno vreme</i>	<i>Napomene</i>
<i>Service designation</i>	<i>Call sign</i>	<i>FREQ (MHZ) / CH</i>	<i>SATVOICE number</i>	<i>Logon address</i>	<i>Hours of operation</i>	<i>Remarks</i>
1	2	3	4	5	6	7
RADIO	Ečka RADIO	130.400	NIL	NIL	Isto kao AD Same as AD	NIL

**LYZR AD 2.19 RADIO-NAVIGACIONI UREĐAJI I UREĐAJI ZA SLETANJE
RADIO NAVIGATION AND LANDING AIDS**

Videti kartu AD 2 LYZR 2.4–1. Pripadajuće podatke za radio-navigacione uređaje videti u ENR 4.1.
See AD 2 LYZR 2.4–1 chart. For related data see ENR 4.1.

LYZR AD 2.23 DODATNE INFORMACIJE

LYZR AD 2.23 ADDITIONAL INFORMATION

1. Ograničenja

TWY A se ne može koristiti kada je u upotrebi RWY.

2. Upozorenja

2.1 LY D11 ulazi u ATZ/RMZ (videti Kartu za vizuelno letenje).

2.2 AD nije ograđen; moguća iznenadna pojava ljudi ili stoke na RWY.

2.3 Za letenje je neophodna koordinacija sa šefom smene nadležne jedinice kontrole letenja (videti ENR 1.10).

2.4 Videti NOTAM-e za poslednje informacije.

1. Restrictions

Taxiing on TWY A is not permitted when RWY is in use.

2. Warnings

2.1 LY D11 penetrates ATZ/RMZ (see Visual operation chart).

2.2 AD is not fenced in and sudden appearance of people or cattle is possible on RWY.

2.3 For flying, coordination with Duty manager of competent ATS unit is necessary (see ENR 1.10).

2.4 Consult NOTAM for latest information.

**LYZR AD 2.24 VAZDUHOPLOVNE KARTE KOJE SE ODOSE NA AERODROM
AERONAUTICAL CHARTS RELATED TO AN AERODROME**

Aerodrome Chart.....AD 2 LYZR 2.1–1

Visual Operation ChartAD 2 LYZR 2.4–1